## **Altman Self-Rating Mania Scale**

Patient's full	name: Date of birth:
Clinician's fu	ull name: Date assessed:
Instructions	:
Please re	ad each question carefully.
Select one	e statement from each set of answers that best applies to you.
	ote: The word "occasionally" when used here means once or twice; "often" means several nore and "frequently" means most of the time.
Question 1:	Do you feel happier or more cheerful than usual?
_ 1	I do not feel happier or more cheerful than usual.
_ 2	I occasionally feel happier or more cheerful than usual.
_ 3	I often feel happier or more cheerful than usual.
<u> </u>	I feel happier or more cheerful than usual most of the time.
_ 5	I feel happier of more cheerful than usual all of the time.
Question 2:	Do you feel more self-confident than usual?
_ 1	I do not feel more self-confident than usual.
_ 2	I occasionally feel more self-confident than usual.
_ 3	I often feel more self-confident than usual.
_ 4	I frequently feel more self-confident than usual.

_ 5	I feel extremely self-confident all of the time.			
Question 3:	Do you need less sleep than usual?			
_ 1	I do not need less sleep than usual.			
_ 2	I occasionally need less sleep than usual.			
□ 3	I often need less sleep than usual.			
<u> </u>	I frequently need less sleep than usual.			
_ 5	I can go all day and all night without any sleep and still not feel tired.			
Question 4: Do you talk more than usual?				
_ 1	I do not talk more than usual.			
_ 2	I occasionally talk more than usual.			
_ 3	I often talk more than usual.			
<u> </u>	I frequently talk more than usual.			
_ 5	I talk constantly and cannot be interrupted.			
Question 5: Have you been more active (e.g., at work, at home, at school, socially, sexually, etc.)?				
_ 1	I have not been more active (either socially, sexually, at work, home, or school) than usual.			

<u> </u>	I have occasionally been more active than usual.
<u> </u>	I have often been more active than usual.
<u> </u>	I have frequently been more active than usual.
_ 5	I am constantly more active or on the go all the time.

## **Total Score:**

## **Score Interpretations:**

- A score of 6 or higher indicates a high probability of a manic or hypomanic condition.
- A score of 6 or higher may indicate a need for treatment and/or further diagnostic workup.
- A score of 5 or lower is less likely to be associated with significant symptoms of mania.

Additional Comments				

## Reference:

Altman EG, Hedeker D, Peterson JL, Davis JM: The Altman Self-Rating Mania Scale. Biological Psychiatry 42: 948-955, 1997.