## **Barlow Test**

Patient's name: Emma Rodriguez	Gender: Female
Caretaker's name: Maria Rodriguez	Relationship: Mother
Examiner: Dr. Katherine Sullivan	Date: January 9, 2025
Consent	
"I, Maria Rodriguez	, consent to the Barlow Test being performed
on Emma Rodriguez	and understand the nature and purpose of the
test."	
MonaPada	
Signature	
Test procedure	
<ol> <li>Place the infant in a supine position with hips and knees flexed at 90 degrees.</li> <li>Hold the baby's knee with one hand and stabilize the hip with the other hand.</li> <li>Gently adduct the hip (move the thigh towards the midline) while applying light pressure on the knee, directing force posteriorly to check for hip instability.</li> </ol>	Adduction  Palpable chunk
Test findings	
Positive Barlow sign: Hip dislocation observed, usually with a clunk or pop	Negative Barlow sign: No hip dislocation observed
Additional notes	
Other observations and additional notes regarding the procedure:	
A noticeable "clunk" was detected during testing of the left hip, indicating possible hip instability or dislocation. The right hip exhibited no signs of instability or dislocation. Referral to a pediatric orthopedic specialist was recommended for further evaluation and potential imaging. The caretaker was advised on safe handling practices to minimize hip strain while waiting for further assessment.	
Healthcare professional's information	
Name: Dr. Katherine Sullivan	License number: TX-543221
Phone number: (555) 890-1234	Email: k.sullivan@email.com
Name of practice: Bright Start Pediatrics	

Barlow, T. G. (1963). Early diagnosis and treatment of congenital dislocation of the hip. *Proceedings of the Royal Society of Medicine*, *56*(9), 804–806. <a href="https://pubmed.ncbi.nlm.nih.gov/14080075/">https://pubmed.ncbi.nlm.nih.gov/14080075/</a>