Clinical Institute Withdrawal Assessment of Alcohol Scale Revised (CIWA-Ar)

Patient:	Date:
Time:	
Pulse or heart rate, taken for one minute:	
Blood pressure:	
Assessment	
Nausea and vomiting: Ask, "Do you feel sick to your sto Observe.	omach? Have you vomited?".
□ 0 = no nausea and no vomiting	
☐ 1 = mild nausea with no vomiting	
□ 2	
□ 3	
☐ 4 = intermittent nausea with dry heaves	
□ 5	
□ 6	
☐ 7 = constant nausea, frequent dry heaves and vomition	ng
2. Tactile disturbances: Ask, " Have you any itching, pins burning, any numbness, or do you feel bugs crawling on	
□ 0 = none	
☐ 1 = very mild itching, pins and needles, burning or n	umbness
☐ 2 = mild itching, pins and needles, burning or numbre	ess
☐ 3 = moderate itching, pins and needles, burning or n	umbness
4 = moderately severe hallucinations	

	5 = severe hallucinations
	6 = extremely severe hallucinations
	7 = continuous hallucinations
3. T ı	remor: With arms extended and fingers spread apart, observe.
	0 = no tremor
	1 = not visible, but can be felt fingertip to fingertip
	2 =
	3 =
	4 = moderate, with patient's arms extended
	5 =
	6 =
	7 = severe, even with arms not extended
D	Auditory disturbances: Ask "Are you more aware of sounds around you? Are they harsh? To they frighten you? Are you hearing anything that is disturbing to you? Are you hearing hings you know are not there?" Observe.
	0 = not present
	1 = very mild harshness or ability to frighten
	2 = mild harshness or ability to frighten
	3 = moderate harshness or ability to frighten
	4 = moderately severe hallucinations
	5 = severe hallucinations
	☐ 6 = extremely severe hallucinations
	7 = continuous hallucinations
5. P	aroxysmal sweats: Observe.
	□ 0 = no sweat visible
	1 = barely perceptible sweating, palms moist
	2 =
	3 =

4 = barely perceptible sweating, palms moist
_ 5 =
─ 6 =
☐ 7 = drenching sweats
6. Visual disturbances: Ask "Does the light appear to be too bright? Is its color different? Does it hurt your eyes? Are you seeing anything that is disturbing to you? Are you seeing things you know are not there?" Observe.
□ 0 = not present
☐ 1 = very mild sensitivity
☐ 2 = mild sensitivity
☐ 3 = moderate sensitivity
4 = moderately severe hallucinations
□ 5 = severe hallucinations
☐ 6 = extremely severe hallucinations
☐ 7 = continuous hallucinations
7. Anxiety: Ask "Do you feel nervous?" Observe.
□ 0 = no anxiety, at ease
☐ 1 = mild anxious
_ 2 =
□ 3 =
☐ 4 = moderately anxious, or guarded, so anxiety is inferred
_ 5 =
─ 6 =
7 = equivalent to acute panic states as seen in severe delirium or acute schizophrenic reactions
8. Headache, fullness in head: Ask "Does your head feel different? Does it feel like there is a band around your head?" Do not rate for dizziness or lightheadedness. Otherwise, rate severity
□ 0 = not present

☐ 1 = very mild
2 = mild
☐ 3 = moderate
☐ 4 = moderately severe
5 = severe
☐ 6 = very severe
☐ 7 = extremely severe
9. Agitation: Observe.
□ 0 = normal activity
☐ 1 = somewhat more than normal activity
_ 2 =
3 =
4 = somewhat more than normal activity
_ 5 =
□ 6 =
☐ 7 = paces back and forth during most of the interview, or constantly thrashes about
10. Orientation and clouding of sensorium: Ask "What day is this? Where are you? Who am I?"
0 = oriented and can do serial additions
☐ 1 = cannot do serial additions or is uncertain about date
2 = disoriented for date by no more than 2 calendar days
3 = disoriented for date by more than 2 calendar days
☐ 4 = disoriented for place/or person
Total CIWA-Ar Score: / 67
Rater's Initials: