Fructosamine Levels Chart

Medical Institution Details

Name:	
Address:	
Phone Number:	
Website:	
Patient Details	
Full Name:	
Date of Birth:/	
Gender:	
Patient ID:	
Contact Number:	
Email Address:	
Referred by Dr./Physician:	
Test Details	
Date Sample Collected:/	
Date of Analysis:/	
Lab Technician:	

Fructosamine Levels Interpretation Chart

Lab ID or Location:

Parameter	Result	Reference Range	Interpretation
Fructosamine (µmol/L)		Typically 205-285 μ mol/L	

Symptoms Reported by Patient

Fatigue or tiredness
Increased thirst
Frequent urination
Blurred vision
Slow-healing sores or frequent infections
Unexplained weight loss
Other:

Related Tests and Results

Test Name	Result	Reference Range
HbA1c (%)		4.0-5.6% (Non-diabetic)
Fasting Blood Glucose (mg/dL)		70-100 mg/dL (Normal)
Postprandial Blood Glucose (mg/dL)		<140 mg/dL (Normal)

Interpretation Guide

Normal:

Indicates good glucose control over the past 2-3 weeks.

Elevated:

Suggests poor glucose control over the past 2-3 weeks, which might indicate the need for adjustments in diabetes management.

Low:

Can suggest overly aggressive glucose control, which might increase the risk of hypoglycemic episodes.

Comments

				4:	- /:£		
п	eco	шше	ana:	alior	15 (II	anv)	ı

4	

2.

3.

Disclaimer

The Fructosamine Levels Chart provides insights into average blood glucose levels over the past 2-3 weeks. It's essential to interpret the results in conjunction with clinical observations and other diagnostic evaluations. Any concerns or anomalies should be discussed with a healthcare professional.

Signature of Lab Technician:	Date:	
Signature of Supervising Pathologist:	Date:	