

Heart Attack Troponin Normal Levels Chart

		Troponin I	Troponin II	High-sensitivity (HS) troponin I	HS troponin T
Measurement unit		Nanograms per milliliter (ng/mL)		Nanograms per liter (ng/L)	
Ranges					
Normal range	Male	0 - 0.04 ng/mL	0 - 0.1 nanograms per milliliter	0 - 20 ng/L	0 - 15 ng/L
	Female			0 - 15 ng/L	0 - 10 ng/L
High range	Male	> 0.04 ng/mL	> 0.1 nanograms per milliliter	> 20 ng/L	> 15 ng/L
	Female			> 15 ng/L	> 10 ng/L
Myocardial infarction (heart attack)		0.40 ng/mL	No specific cutoff, but extreme elevation from normal indicates myocardi		

Note that some laboratories or facilities may use other measurement units, such as micrograms.

References

- American Board of Internal Medicine. (2023). *Laboratory tests reference ranges*. <https://www.abim.org/Media/bfijryql/laboratory-reference-ranges.pdf>
- Mahajan, V. S., & Jarolim, P. (2011). How to interpret elevated cardiac troponin levels. *Circulation*, 124(21), 2350–2354. <https://doi.org/10.1161/circulationaha.111.023697>

Patient Troponin Levels Chart

Usage instructions

After each troponin test, use this graph to document the patient's troponin levels over an observation period.

1. Write your preferred intervals for troponin levels on the Y axis (vertical); you may use whichever unit of measure you prefer. We recommend using intervals of 0.01-0.05 ng/mL for traditional tests and 2-5 ng/L for high-sensitivity tests, with the patient's baseline levels close to the bottom.
2. Write the dates when the tests were taken on the X axis (horizontal).
3. Plot the points on the graph. In case the points are between the intervals, you may label the points with the specific measured amount.

Troponin level																							
		Dates																					

Additional notes