Medical Billing and Coding Practice Worksheets

Name:					
Gende	r:	Male	Female	Other:	Date of Birth:
Instru	ction	S			
• Plea	ase fill	out the pa	tient informati	ion section bef	ore proceeding to answer the scenarios.
		scenario, c dures perf	-	w the patient's	presenting condition, diagnostic information, and
	•				inology (CPT) code(s) and International 0) code(s) based on the provided information.
• Ens	ure ac	curacy in o	code selection	n, including spe	ecificity and completeness.
• Writ	te your	answers	clearly in the s	space provided	l.
Scena	arios				
Scen	ario #1				
pain.	After e	valuation,	the physician	diagnoses he	to the clinic complaining of severe abdominal with acute appendicitis and schedules her for an acute suppurative appendicitis.
Task					
	for acu				ctomy procedure and the corresponding ICD-10 ode based on the pathology report should also be
CPT	Code:				
ICD-1	0 Code	e (Acute A	ppendicitis):		
ICD-1	0 Code	e (Patholo	gy Confirmati	on):	

Scenario #2
Mr. Johnson, a 50-year-old male patient, visits the dermatologist for the removal of several benign skin lesions using cryosurgery. The dermatologist documents the locations and sizes of each lesion.
Task
Determine the correct CPT code(s) for the cryosurgery procedure, considering the number and sizes of lesions removed and the corresponding ICD-10 code(s) for the benign skin lesions. Provide specificity in lesion locations if applicable.
CPT Code(s):
ICD-10 Code(s) (Benign Skin Lesions):
Specificity in Lesion Locations:
Scenario #3
A 30-year-old female patient visits the orthopedic clinic for a follow-up appointment after sustaining a fracture of her left radius three weeks ago. The physician orders an X-ray to assess the healing progress. The X-ray confirms complete healing of the fracture.
Task
Identify the appropriate CPT code for the X-ray procedure and the corresponding ICD-10 code for the healed left radius fracture. Ensure specificity in the coding for the healed status of the fracture.
CPT Code:
ICD-10 Code (Healed Fracture):

Scenario #4
A 40-year-old male patient presents to the emergency room with complaints of chest pain. The physician performs an electrocardiogram (ECG) and diagnoses the patient with acute myocardial infarction (heart attack). Laboratory tests confirm elevated cardiac enzymes indicative of myocardial damage.
Task
Assign the correct CPT code for the ECG procedure and the corresponding ICD-10 code for acute myocardial infarction. The specific ICD-10 code for the elevated cardiac enzymes should also be provided.
CPT Code:
ICD-10 Code (Acute Myocardial Infarction):
ICD-10 Code (Elevated Cardiac Enzymes):
Scenario #5
Ms. Rodriguez, a 35-year-old female patient, undergoes a routine preventive screening
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS).
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS).
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS). Task Determine the appropriate CPT code for the mammogram procedure and the corresponding ICD-10 code for the routine preventive screening. The specific ICD-10 code for the suspicious mass and the
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS). Task Determine the appropriate CPT code for the mammogram procedure and the corresponding ICD-10 code for the routine preventive screening. The specific ICD-10 code for the suspicious mass and the confirmed DCIS should also be provided.
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS). Task Determine the appropriate CPT code for the mammogram procedure and the corresponding ICD-10 code for the routine preventive screening. The specific ICD-10 code for the suspicious mass and the confirmed DCIS should also be provided.
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS). Task Determine the appropriate CPT code for the mammogram procedure and the corresponding ICD-10 code for the routine preventive screening. The specific ICD-10 code for the suspicious mass and the confirmed DCIS should also be provided. CPT Code:
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS). Task Determine the appropriate CPT code for the mammogram procedure and the corresponding ICD-10 code for the routine preventive screening. The specific ICD-10 code for the suspicious mass and the confirmed DCIS should also be provided. CPT Code:
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS). Task Determine the appropriate CPT code for the mammogram procedure and the corresponding ICD-10 code for the routine preventive screening. The specific ICD-10 code for the suspicious mass and the confirmed DCIS should also be provided. CPT Code: ICD-10 Code (Routine Preventive Screening):
mammogram as part of her annual health check-up. The mammogram reveals a suspicious mass in her left breast, leading to further diagnostic imaging and a subsequent biopsy confirming ductal carcinoma in situ (DCIS). Task Determine the appropriate CPT code for the mammogram procedure and the corresponding ICD-10 code for the routine preventive screening. The specific ICD-10 code for the suspicious mass and the confirmed DCIS should also be provided. CPT Code: ICD-10 Code (Routine Preventive Screening):

Answer Key

- 1. **CPT Code:** 44950 Appendectomy
 - ICD-10 Code (Acute Appendicitis): K35.89 Other and unspecified appendicitis
 - ICD-10 Code (Pathology Confirmation): K35.2 Acute appendicitis with generalized peritonitis
- 2. CPT Code(s): 17110 Destruction of benign lesions (1-14 lesions)
 ICD-10 Code(s) (Benign Skin Lesions): D23.9 Other benign neoplasm of skin, unspecified Specificity in Lesion Locations: Provide specific ICD-10 codes based on documentation.
- 3. **CPT Code:** 73090 Radiological examination, wrist; complete, minimum of 3 views **ICD-10 Code (Healed Fracture):** S52.522A Torus fracture of lower end of left radius, initial encounter for closed fracture
- 4. **CPT Code:** 93000 Electrocardiogram, routine ECG with at least 12 leads, with interpretation and report
 - ICD-10 Code (Acute Myocardial Infarction): I21.09 Other acute myocardial infarction ICD-10 Code (Elevated Cardiac Enzymes): R94.31 Abnormal enzyme levels in blood
- 5. **CPT Code**: 77067 Screening mammography, bilateral (2-view study of each breast) **ICD-10 Code (Routine Preventive Screening):** Z12.31 Encounter for screening mammogram for malignant neoplasm of breast
 - **ICD-10 Code (Suspicious Mass):** R92.0 Mammographic microcalcification found on diagnostic imaging of breast
 - ICD-10 Code (Confirmed DCIS): D05.1 Carcinoma in situ of breast, ductal