Mental Status Exam Cheat Sheet

Patient infor	mation					
Client name:				Age:		
Date of birth:				Ethnicity:		
Gender:	Male	Female	Other:			
Instructions						
 Begin by filling out the patient information section at the top of the form. Ensure all demographic details are accurate and complete. Before starting the assessment, familiarize yourself with the various components of the Mental Status Exam (MSE) listed in the checklist. Each component has several descriptors that can help you determine the client's current mental state in that specific area. Conduct the MSE during your session with the client, taking note of their appearance, behavior, speech, mood and affect, thought process, thought content, perceptions, cognitive functioning, insight and judgment, and risk assessment. Observe and interact with the client, asking openended questions when necessary to gather additional information. As you assess each component, tick the appropriate boxes on the checklist that best describes the client's presentation. Remember that these descriptors are not exhaustive; you may need to add your observations if they do not fit any listed options. 						
I. Appearanc	е					
Hygiene and grooming			Dress			
Would you describe your client's hygiene and grooming as: Clean Neat		ene and	Is your client's clothing: Casual			
			Business			
			Inappropriate			
☐ Disheveled ☐ Shaven		☐ Ragged				
		☐ Immaculate				
Unshaven			☐ Fashionable			
☐ Hair brus				☐ Dirty		
☐ Hair unbr	ushed			☐ Neat		
				☐ Bizarre		
			Stained Stained			

Distinguishing features							
Does your client have any distinguishing features, such as:							
☐ Tattoos Piercings	Scars						
Apparent age							
Does your client appear:							
☐ Older than their stated age Younger than their stated age							
Body mass index	Facial expressions						
Is your client's habitus:	Does your client appear:						
□ Normal	☐ Calm						
☐ Obese	☐ Sad						
Underweight	☐ Angry						
Overweight	☐ Anxious						
	Perplexed						
II. General behavior							
Eye contact							
Is your client's eye contact:							
☐ Appropriate Avoidant	Decreased Heightened						
<u> </u>							
Motor activity							
Does your client display:							
☐ Normal activity	TICS						
☐ Tension	Use a cane, crutches or another device						
☐ Decreased activity	Slowed						
Limp	Shuffle						
☐ Agitation	Unsteady						
☐ Restless							
Tardive dyskinesia							
Does your client display unusual movements in the jaw, face or tongue, such as:							
☐ Grimacing Lip pursing	Tongue writhing Chewing Lip smacking						

Cooperativeness and attitude	Movements	
Does your client exhibit an appropriate level of cooperation, or are they:	Does your client display any unusual or repetitive movements, such as:	
Evasive	☐ Tics	
☐ Guarded	☐ Twitches	
☐ Passive	☐ Mannerisms	
Sullen	☐ Tremor	
☐ Withdrawn	☐ Head-nodding	
Demanding	☐ Finger-tapping	
☐ Hostile	☐ Waving	
□ Overly friendly	☐ Pacing	
Relaxed	Posturing	
☐ Open	☐ Body-rocking	
☐ Shy	☐ Arm-flapping	
☐ Playful		
☐ Candid		
III. Speech and language		
General		
Does your client speak clearly or have an:		
☐ Accent Stutter Lisp		
Rate	Rhythm	
Is your client's rate of speech:	Is your client's speech:	
□ Normal Slow	☐ Articulate Slurred	
☐ Delayed onset Fast	☐ Dysarthric Monotone	
Volume	Content	
Is your client's speech:	Is your client:	
☐ Soft	☐ Loquacious	
Loud	☐ Fluent	
☐ Mute	☐ Impoverished	

IV. Emotions		
Mood	Affect	Range
Does your client say they feel:	Does your client seem to be:	Is your client's affect range:
☐ Depressed	☐ Euthymic	☐ Broad
☐ Irritable	☐ Angry	☐ Labile
☐ Sad	☐ Anxious	☐ Restricted
☐ Good	Depressed	☐ Anhedonic
☐ Angry	☐ Elated	☐ Flat
☐ Fantastic	☐ Irritable	
	☐ Euphoric	
Congruency		
Is your client's affect:		
☐ Congruent to their mood	Incongruent to their mood	
V. Thought and perception		
Thought process	Thought content	Perception
Would you describe your client's thought process as:	Do your client's thoughts consist of:	Is your client experiencing:
		☐ No hallucinations
client's thought process as:	consist of:	
client's thought process as: Goal-directed	consist of: Suicidal ideation	☐ No hallucinations
client's thought process as: ☐ Goal-directed ☐ Illogical	consist of: Suicidal ideation Obsessions	□ No hallucinations□ Tactile hallucinations
client's thought process as: Goal-directed Illogical Blocking	consist of: Suicidal ideation Obsessions Phobias	□ No hallucinations□ Tactile hallucinations□ Derealization
client's thought process as: Goal-directed Illogical Blocking Tangential	consist of: Suicidal ideation Obsessions Phobias Homicidal ideation	 □ No hallucinations □ Tactile hallucinations □ Derealization □ Auditory hallucinations
client's thought process as: Goal-directed Illogical Blocking Tangential Word salad	consist of: Suicidal ideation Obsessions Phobias Homicidal ideation Worries	 No hallucinations □ Tactile hallucinations □ Derealization □ Auditory hallucinations □ Olfactory hallucinations
client's thought process as: Goal-directed Illogical Blocking Tangential Word salad Impoverished	consist of: Suicidal ideation Obsessions Phobias Homicidal ideation Worries Ruminations	 No hallucinations □ Tactile hallucinations □ Derealization □ Auditory hallucinations □ Olfactory hallucinations □ Depersonalization
client's thought process as: Goal-directed Illogical Blocking Tangential Word salad Impoverished Incoherent	consist of: Suicidal ideation Obsessions Phobias Homicidal ideation Worries Ruminations Distortions	 No hallucinations □ Tactile hallucinations □ Derealization □ Auditory hallucinations □ Olfactory hallucinations □ Depersonalization □ Visual hallucinations
client's thought process as: Goal-directed Illogical Blocking Tangential Word salad Impoverished Incoherent Circumstantial Loose	consist of: Suicidal ideation Obsessions Phobias Homicidal ideation Worries Ruminations Distortions Compulsions Grandiose, somatic, paranoid or other	 No hallucinations □ Tactile hallucinations □ Derealization □ Auditory hallucinations □ Olfactory hallucinations □ Depersonalization □ Visual hallucinations
client's thought process as: Goal-directed Illogical Blocking Tangential Word salad Impoverished Incoherent Circumstantial Loose Rapid	consist of: Suicidal ideation Obsessions Phobias Homicidal ideation Worries Ruminations Distortions Compulsions Grandiose, somatic, paranoid or other	 No hallucinations □ Tactile hallucinations □ Derealization □ Auditory hallucinations □ Olfactory hallucinations □ Depersonalization □ Visual hallucinations
client's thought process as: Goal-directed Illogical Blocking Tangential Word salad Impoverished Incoherent Circumstantial Loose Rapid Distractible	consist of: Suicidal ideation Obsessions Phobias Homicidal ideation Worries Ruminations Distortions Compulsions Grandiose, somatic, paranoid or other	 No hallucinations □ Tactile hallucinations □ Derealization □ Auditory hallucinations □ Olfactory hallucinations □ Depersonalization □ Visual hallucinations

VI. Cognition					
Alertness	Orientation				
Is your client:	Does your client know:				
☐ Alert	☐ Their name				
☐ In a stupor	☐ The time				
☐ Lethargic	☐ Their current location				
☐ Comatose	☐ The date				
☐ Obtunded					
Memory					
To test your client's memory, you might ask them to	o do the following:				
☐ Repeat three words immediately and again in	five minutes				
☐ Sign their name while answering unrelated questions					
☐ Tell you their birthday, where they were born and their parents' names.					
Does your client display:					
☐ No impairment					
☐ Short-term impairment					
☐ Long-term impairment					
Attention					
Does your client's attention seem:					
☐ Normal Distracted					
Insight					
Describe your client's insight or their awareness of their situation or condition:					
☐ How well does your client understand the reasons for their behavior?					
☐ How well does your client appreciate how they contribute to a problem?					
☐ Does your client recognize or acknowledge the severity of an issue?					
☐ What do they perceive is the best way to address a problem?					
Is your client's insight:					
☐ Good Fair Poor					

Judgement					
Consider if your client anticipates the consequences of their behavior and makes decisions to safeguard their well-being and that of others. Is their judgment:					
☐ Good Fair Poor					
Does your client show:					
☐ Normal impulse control Impaired impulse control					
Motivation					
Would you describe your client's motivation level as:					
☐ Good Fair Poor					
Reliability					
Consider your client's reliability and accuracy as they share details about their situation. Do you consider your client to be:					
☐ Reliable Unreliable					
VII. Environment					
If part of your mental status exam includes assessing the client's living environment, you may want to describe their surroundings. Ask yourself the following:					
☐ Have they made odd decisions, such as blocking doors or windows with furniture?					
☐ Are there unusual decorations or wires that lead nowhere?					
☐ Are they using any household objects inappropriately?					
☐ Is their home extremely cluttered or dirty?					
☐ Do they collect junk or garbage?					