

Modified Barthel Index

Name		Date	Score
Assess the patient's current ability by selecting a score that accurately reflects their performance for each item.			
Index item	Score	Description	
CHAIR / BED TRANSFER	<input type="checkbox"/> 0	Unable to participate in a transfer. Two attendants are required to transfer the patient with or without a mechanical device.	
	<input type="checkbox"/> 3	Able to participate but maximum assistance of one other person is required in all aspects of the transfer.	
	<input type="checkbox"/> 8	The transfer requires the assistance of one other person. Assistance may be required in any aspect of the transfer.	
	<input type="checkbox"/> 12	The presence of another person is required either as a confidence measure, or to provide supervision for safety.	
	<input type="checkbox"/> 15	The patient can safely approach the bed walking or in a wheelchair, lock brakes, lift footrests, or position walking aid, move safely to bed, lie down, come to a sitting position on the side of the bed, change the position of the wheelchair, transfer back into it safely and/or grasp aid and stand. The patient must be independent in all phases of this activity.	
AMBULATION	<input type="checkbox"/> 0	Dependent in ambulation.	
	<input type="checkbox"/> 3	Constant presence of one or more assistant is required during ambulation.	
	<input type="checkbox"/> 8	Assistance is required with reaching aids and/or their manipulation. One person is required to offer assistance.	
	<input type="checkbox"/> 12	The patient is independent in ambulation but unable to walk 50 metres without help, or supervision is needed for confidence or safety in hazardous situations.	
	<input type="checkbox"/> 15	The patient must be able to wear braces if required, lock and unlock these braces assume standing position, sit down, and place the necessary aids into position for use. The patient must be able to crutches, canes, or a walkalette, and walk 50 metres without help or supervision.	
AMBULATION / WHEELCHAIR	<input type="checkbox"/> 0	Dependent in wheelchair ambulation.	
	<input type="checkbox"/> 1	Patient can propel self short distances on flat surface, but assistance is required for all other steps of wheelchair management	
	<input type="checkbox"/> 3	Presence of one person is necessary and constant assistance is required to manipulate chair to table, bed, etc.	
	<input type="checkbox"/> 4	The patient can propel self for a reasonable duration over regularly encountered terrain. Minimal assistance may still be required in "tight corners" or to negotiate a kerb 100mm high.	
	<input type="checkbox"/> 5	To propel wheelchair independently, the patient must be able to go around corners, turn around, manoeuvre the chair to a table, bed, toilet, etc. The patient must be able to push a chair at least 50 metres and negotiate a kerb.	
STAIR CLIMBING	<input type="checkbox"/> 0	The patient is unable to climb stairs.	

Modified Barthel Index

Index item	Score	Description
STAIR CLIMBING	<input type="checkbox"/> 2	Assistance is required in all aspects of chair climbing, including assistance with walking aids.
	<input type="checkbox"/> 5	The patient is able to ascend/descend but is unable to carry walking aids and needs supervision and assistance.
	<input type="checkbox"/> 8	Generally no assistance is required. At times supervision is required for safety due to morning stiffness, shortness of breath, etc.
	<input type="checkbox"/> 10	The patient is able to go up and down a flight of stairs safely without help or supervision. The patient is able to use hand rails, cane or crutches when needed and is able to carry these devices as he/she ascends or descends.
TOILET TRANSFERS	<input type="checkbox"/> 0	Fully dependent in toileting.
	<input type="checkbox"/> 2	Assistance required in all aspects of toileting.
	<input type="checkbox"/> 5	Assistance may be required with management of clothing, transferring, or washing hands.
	<input type="checkbox"/> 8	Supervision may be required for safety with normal toilet. A commode may be used at night but assistance is required for emptying and cleaning.
	<input type="checkbox"/> 12	The patient is able to get on/off the toilet, fasten clothing and use toilet paper without help. If necessary, the patient may use a bed pan or commode or urinal at night, but must be able to empty it and clean it.
BOWEL CONTROL	<input type="checkbox"/> 0	The patient is bowel incontinent.
	<input type="checkbox"/> 2	The patient needs help to assume appropriate position, and with bowel movement facilitatory techniques.
	<input type="checkbox"/> 5	The patient can assume appropriate position, but cannot use facilitatory techniques or clean self without assistance and has frequent accidents. Assistance is required with incontinence aids such as pad, etc.
	<input type="checkbox"/> 8	The patient may require supervision with the use of suppository or enema and has occasional accidents.
	<input type="checkbox"/> 12	The patient can control bowels and has no accidents, can use suppository, or take an enema when necessary.
BLADDER CONTROL	<input type="checkbox"/> 0	The patient is dependent in bladder management, is incontinent, or has indwelling catheter.
	<input type="checkbox"/> 2	The patient is incontinent but is able to assist with the application of an internal or external device.
	<input type="checkbox"/> 5	The patient is generally dry by day, but not at night and needs some assistance with the devices.
	<input type="checkbox"/> 8	The patient is generally dry by day and night, but may have an occasional accident or need minimal assistance with internal or external devices.
	<input type="checkbox"/> 10	The patient is able to control bladder day and night, and/or is independent with internal or external devices.
BATHING	<input type="checkbox"/> 0	Total dependence in bathing self.
	<input type="checkbox"/> 1	Assistance is required in all aspects of bathing, but patient is able to make some contribution.

Modified Barthel Index

Index item	Score	Description
BATHING	<input type="checkbox"/> 3	Assistance is required with either transfer to shower/bath or with washing or drying; including inability to complete a task because of condition or disease, etc.
	<input type="checkbox"/> 4	Supervision is required for safety in adjusting the water temperature, or in the transfer.
	<input type="checkbox"/> 5	The patient may use a bathtub, a shower, or take a complete sponge bath. The patient must be able to do all the steps of whichever method is employed without another person being present.
DRESSING	<input type="checkbox"/> 0	The patient is dependent in all aspects of dressing and is unable to participate in the activity.
	<input type="checkbox"/> 2	The patient is able to participate to some degree, but is dependent in all aspects of dressing.
	<input type="checkbox"/> 5	Assistance is needed in putting on, and/or removing any clothing.
	<input type="checkbox"/> 8	Only minimal assistance is required with fastening clothing such as buttons, zips, bra, shoes, etc.
	<input type="checkbox"/> 12	The patient is able to put on, remove, corset, braces, as prescribed.
PERSONAL HYGIENE (GROOMING)	<input type="checkbox"/> 0	The patient is unable to attend to personal hygiene and is dependent in all aspects.
	<input type="checkbox"/> 1	Assistance is required in all steps of personal hygiene, but patient able to make some contribution.
	<input type="checkbox"/> 3	Some assistance is required in one or more steps of personal hygiene.
	<input type="checkbox"/> 4	Patient is able to conduct his/her own personal hygiene but requires minimal assistance before and/or after the operation.
	<input type="checkbox"/> 5	The patient can wash his/her hands and face, comb hair, clean teeth and shave. A male patient may use any kind of razor but must insert the blade, or plug in the razor without help, as well as retrieve it from the drawer or cabinet. A female patient must apply her own make-up, if used, but need not braid or style her hair.
FEEDING	<input type="checkbox"/> 0	Dependent in all aspects and needs to be fed, nasogastric needs to be administered.
	<input type="checkbox"/> 2	Can manipulate an eating device, usually a spoon, but someone must provide active assistance during the meal.
	<input type="checkbox"/> 5	Able to feed self with supervision. Assistance is required with associated tasks such as putting milk/sugar into tea, salt, pepper, spreading butter, turning a plate or other "set up" activities.
	<input type="checkbox"/> 8	Independence in feeding with prepared tray, except may need meat cut, milk carton opened or jar lid etc. The presence of another person is not required.
	<input type="checkbox"/> 10	The patient can feed self from a tray or table when someone puts the food within reach. The patient must put on an assistive device if needed, cut food, and if desired use salt and pepper, spread butter, etc.

Modified Barthel Index

Interpretation	Prediction
<p>00 - 20 Total Dependence</p> <p>21 - 60 Severe Dependence</p> <p>61 - 90 Moderate Dependence</p> <p>91 - 99 Slight Dependence</p> <ul style="list-style-type: none">• 100 Independence	<p>Score of less than 40</p> <p>Unlikely to go home</p> <ul style="list-style-type: none">- Dependent in Mobility- Dependent in Self Care <p>Score of 60</p> <p>Pivotal score where patients move from dependency to assisted independence. If living alone will probably need a number of community services to cope.</p> <p>Score of 60 - 80</p> <p>Likely to be discharged to community living.</p> <p>Score of over 85</p> <p>Independent in transfers and able to walk or use wheelchair independently.</p>

Additional notes