## **Roos Stress Test**

Patient's full name:	Date accomplished:
Clinician's full name:	
What you need:	
<ul><li>A comfortable seat for your patient</li><li>A stopwatch</li></ul>	
Instructions:	
Have your patient take a seat and make sure they are sitting in an	n upright position.
Tell them to relax their shoulders and arms.	
Have them raise their and externally rotate them by 90 degrees.	
While their arms are raised and externally rotated by 90 degrees,	have them flex their elbows by 90 degrees.
Tell them to maintain their pose.	
<ul> <li>While maintaining their pose, you are going to instruct them to fle open and close their hands over and over again. This will go on for you say "GO" and they will stop as soon as you say "STOP." Also are doing this exercise.</li> </ul>	or three minutes. Tell them that they will start as soon as
<ul> <li>After giving them the instructions, ready your stopwatch and active stopwatch hits the three-minute mark, say "STOP" and pause you</li> </ul>	
<ul> <li>Make sure to log what the patient felt while performing the exercise everything, including your next steps.</li> </ul>	se. You can do so in the box below where you can explain
Positive Normal	
Possible symptoms:	
Increase in neck and shoulder pains	
The ingresses in most, and shoulder naine also extends down their	

- The increase in neck and shoulder pains also extends down their arms
- Tingling or prickling feelings in their forearms and fingers
- · Paleness of arms
- Reactive hyperemia when they lower their arms
- · Cyanosis in their hands
- · Swelling in their hands

## **Additional Comments:**