Scarf Test

Patient information	
Full name:	
Age:	
Date:	

Instructions

- 1. Position the patient comfortably, either sitting or standing.
- 2. Make sure the patient's upper body is exposed to facilitate examination of the shoulder.
- 3. Begin by stabilizing the scapula on the side being tested. Use one hand to hold the scapula gently but firmly to prevent excessive movement during the test.
- 4. Ensure the patient's shoulder blade remains stationary throughout the test, as this is essential for accurate assessment.
- 5. Instruct the patient to flex their shoulder by raising their arm diagonally across their body, as if putting on a scarf over the opposite shoulder.
- 6. Monitor the motion closely, observing the patient's range of motion, any pain, discomfort, or signs of restriction.
- 7. Gradually increase the range of motion while ensuring the patient's comfort and assessing their response.

Reminders

- Continuously communicate with the patient during the test. Ask if they experience pain, discomfort, or any unusual sensations.
- Perform the test gently and smoothly. Sudden jerky movements can lead to patient discomfort or injury.
- Compare the tested shoulder's range of motion to the unaffected side to identify any significant discrepancies.
- Make a note of any limited range of motion or pain during the test, as this information is crucial for the overall assessment.
- Remember that the Scarf Test is just one part of a comprehensive shoulder evaluation. It should be interpreted alongside other clinical findings, medical history, and imaging studies, if available.

Results

Positive: The test was able to reproduce pain symptoms in the patient's affected shoulder.

Negative: The test wasn't able to reproduce pain symptoms.

Additional notes