

Schizoaffective Disorder Test

Patient Information

Name:

Age:

Date of Birth:

Reason for Evaluation

Medical History

Current Symptoms

1. Psychotic Symptoms

Hallucinations:

Delusions:

Disorganized Thinking:

2. Mood Symptoms

Depressive Symptoms:

Manic or Hypomanic Symptoms:

Mixed Symptoms:

3. Negative Symptoms

Reduced Emotional Expression:

Social Withdrawal:

Anhedonia:

4. Other Symptoms

Disorganized Speech:

Catatonic Behavior:

Cognitive Impairment:

Diagnostic Criteria

DSM-5 criteria for schizoaffective disorder are as follows:

A. An uninterrupted duration of illness during which there is a major mood episode (manic or depressive) in addition to criterion A for schizophrenia; the major depressive episode must include depressed mood.

Criterion A for schizophrenia is as follows:

Two or more of the following presentations, each present for a significant amount of time during a 1-month period (or less if successfully treated). At least one of these must be from the first three below.

1. Delusions

2. Hallucinations

3. Disorganized speech (e.g., frequent derailment or incoherence).

4. Grossly disorganized or catatonic behavior

5. Negative symptoms (i.e., diminished emotional expression or avolition.)

B. Hallucinations and delusions for two or more weeks in the absence of a major mood episode (manic or depressive) during the entire lifetime duration of the illness.

C. Symptoms that meet the criteria for a major mood episode are present for most of the total duration of both the active and residual portions of the illness.

D. The disturbance is not the result of the effects of a substance (e.g., a drug of misuse or a medication) or another underlying medical condition.

The following are specifiers based on the primary mood episode as part of the presentation.

- **Bipolar type:** includes episodes of mania and sometimes major depression.

- **Depressive type:** includes only major depressive episodes.

Findings:

Evaluation Tools

Positive and Negative Syndrome Scale (PANSS)

Brief Psychiatric Rating Scale (BPRS)

Beck Depression Inventory (BDI)

Mood Disorder Questionnaire (MDQ)

Mini-Mental State Examination (MMSE)

Repeatable Battery for the Assessment of Neuropsychological Status (RBANS)

Brief Clinical Assessment Scale for Schizophrenia (BCASS)

Cambridge Neuropsychological Test for Identifying Cognitive Deficit

Results:**Findings:****Physical Examination Findings****Laboratory Tests**

Comprehensive metabolic panel, complete blood count, thyroid function tests:

Urine toxicology screen:

Assessment and Diagnosis

Treatment Recommendations

Follow-up Plan

Patient Education