Sedation Scale Nursing (Ramsay Sedation Scale)

Patient Information
Name:
Hospital ID:
Date of Assessment:
Time of Assessment:
Assessing Nurse:
Ramsay Sedation Scale (RSS) Assessment
The Ramsay Sedation Scale (RSS) is a standardized tool for assessing the depth of sedation in patients. Below is the scale, adapted from Ramsay MA, Savage TM, Simpson B, et al: Controlled sedation with alphaxalone-alphadolone. British Medical Journal 22;2(5920):656–659. DOI: 10.1136/bmj.2.5920.656
Please mark the patient's observed level of sedation according to the criteria below:
□ 1 - Awake; agitated or restless or both
2 - Awake; cooperative, oriented, and tranquil
□ 3 - Awake but responds to commands only
4 - Asleep; brisk response to light glabellar tap or loud auditory stimulus
5 - Asleep; sluggish response to light glabellar tap or loud auditory stimulus
□ 6 - Asleep; no response to glabellar tap or loud auditory stimulus
Clinical Observations
Patient's Current Medications (Include sedatives, analgesics, etc.):
Patient's Medical Condition(s) Affecting Sedation Level:

Recent Changes in Sedation Protocol or Medications:

Nursing Interventions & Actions

Adjustments to Sedation (if any):

Additional Monitoring Requirements:

Patient Safety Measures Implemented:

Communication with Healthcare Team:

Follow-Up and Monitoring

Next Scheduled Assessment

Date:

Time:

Specific Observations or Concerns to Monitor:

Nurse's Signature			
Date:			
Physician's Review (if re	equired)		
Comments/Orders:			

Physician's Signature:

Date:

Source

MSD Manuals. (n.d.). *The Ramsay Sedation Scale*. Retrieved from <u>Table: The Ramsay Sedation</u> <u>Scale - MSD Manual Professional Edition</u>