## **Sensory Profile Questionnaire (125-item Version)**

Child'	's name:	Date of birth:		Date	:		
Comp	leted by:	Relationship to ch	nild:				
Servic	ce provide	er's name: Discipline:					
statemer	nts. If you	use check the box that best describes the frequency with which your child does are unable to comment because you have not observed the behavior or believe r for that item. Write any comments at the end of each section. Please do not write	that it does not a	apply to y	our child	l, please	
		g key to mark your responses:					
Alwa		When presented with the opportunity, your child always responds in this					
	uently	When presented with the opportunity, your child frequently responds in the					
	asionally	When presented with the opportunity, your child occasionally responds in				ime.	
Seld		When presented with the opportunity, your child seldom responds in this			ne time.		
Neve	er	When presented with the opportunity, your child never responds in this m	nanner, 0% of th	e time.			
		Sensory processing					
		1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldo	m, 5 = Never				
		A. Auditory processing					
Ø	L	<ol> <li>Responds negatively to unexpected or loud noises (for example, cries of hides at noise from vacuum cleaner, dog barking, hair dryer)</li> </ol>	r 🗍 1	O 2	□ 3	<b>4</b>	
<b>®</b>	L	2. Holds hands over ears to protect ears from sound	<u> </u>	○ 2	□ 3	O 4	□ 5
<b>®</b>	L	3. Has trouble completing tasks when the radio is on	_ 1	○ 2	□ 3	O 4	□ 5
<b>9</b>	L	4. Is distracted or has trouble functioning if there is a lot of noise around	<u> </u>	○ 2	□ 3	O 4	□ 5
<b>®</b>	L	5. Can't work with background noise (for example, fan, refrigerator)	<u> </u>	○ 2	□ 3	O 4	□ 5
9	Н	<ol><li>Appears to not hear what you say (for example, does not "tune-in" to wh say, appears to ignore you)</li></ol>	nat you 🔘 1	O 2		<b>4</b>	<u> </u>
Ø	Н	7. Doesn't respond when name is called but you know the child's hearing i	s OK 1	O 2	□ 3	O 4	□ 5
Ø	Н	8. Enjoys strange noises/seeks to make noise for noise's sake	<u> </u>	O 2	□ 3	O 4	
		Section raw score total:					
Comn	nents:						
		B. Visual processing					
0	L	9. Prefers to be in the dark	<u> </u>	O 2		O 4	O 5
0	L	<ol> <li>Expresses discomfort with or avoids bright lights (for example, hides fro sunlight through window in car)</li> </ol>	m 1	<u> </u>	<u> </u>	<u> </u>	<u> </u>
0	L	11. Happy to be in the dark	<u> </u>	○ 2	□ 3		○ 5
0	L	12. Becomes frustrated when trying to find objects in competing background example, a cluttered drawer)	ds (for	O 2		<b>4</b>	<u> </u>
0	L	13. Has difficulty putting puzzles together (as compared to same age children	en) 🗌 1	○ 2	□ 3		□ 5
0	L	14. Is bothered by bright lights after others have adapted to the light	_ 1	O 2	□ 3	<b>4</b>	○ 5
0	L	15. Covers eves or squints to protect eves from light	_ 1	○ 2	□ 3	O 4	○ 5
0	Н	16. Looks carefully or intensely at objects/people (for example, stares)	<u> </u>	O 2	□ 3	<b>4</b>	□ 5
<b>o</b>	Н	17. Has a hard time finding objects in competing backgrounds (for example shoes in a messy room, favorite toy in the "junk drawer"	_ 1	O 2	□ 3	<b>4</b>	
		Section raw score total:					

		Sensory processing					
		1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldom, 5 =	Never				
		C. Vestibular processing					
<b>→</b>	L	18. Becomes anxious or distressed when feet leave the ground	<u> </u>	O 2	□ 3	O 4	O 5
<b>→</b>	L	19. Dislikes activities where head is upside down (for example, somersaults, roughhousing)	_ 1	<u> </u>	□ 3	<b>4</b>	<u> </u>
<b>→</b>	L	20. Avoids playground equipment or moving toys (for example, swing set, merry-go-round)	<u> </u>	○ 2	□ 3	<b>4</b>	<u> </u>
<b>→</b>	L	21. Dislikes riding in a car	<u> </u>	□ 2	□ 3	<b>4</b>	□ 5
<b>→</b>	L	<ol> <li>Holds head upright, even when bending over or leaning (for example, maintains a rigid position/posture during activity)</li> </ol>	_ 1	<u> </u>	□ 3	<b>4</b>	<u> </u>
<b>→</b>	L	23. Becomes disoriented after bending over sink or table (for example, falls or gets dizzy)	<u> </u>	<u> </u>	□ 3	<b>4</b>	<u> </u>
<b>→</b>	Н	24. Seeks all kinds of movement and this interferes with daily routines (for example, can't sit still, fidgets)	<u> </u>	O 2	□ 3	<b>4</b>	<u> </u>
<b>→</b>	Н	25. Seeks out all kinds of movement activities (for example, being whirled by adult, merry-go-rounds, playground equipment, moving toys)	_ 1	<u> </u>	<u> </u>	O 4	<u> </u>
<b>→</b>	Н	26. Twirls/spins self frequently throughout the day (for example, likes dizzy feeling)	_ 1	O 2	□ 3	<b>4</b>	<u> </u>
<b>→</b>	Н	27. Rocks unconsciously (for example, while watching TV)	<u> </u>	□ 2	□ 3	O 4	□ 5
<b>→</b>	Н	28. Rocks in desk/chair/on floor	<u> </u>	○ 2	□ 3	O 4	○ 5
		Section raw score total:					
Comm	nents:						
		D. Touch processing					
W.	L	29. Avoids getting "messy" (for example, in paste, sand, finger paint, glue, tape)	<u> </u>	O 2	□ 3	O 4	□ 5
	L	30. Expresses distress during grooming (for example, fights or cries during haircutting, face washing, fingernail cutting)	<u> </u>	O 2	□ 3	<b>4</b>	<u> </u>
Ü	L	31. Prefers long-sleeved clothing when it is warm or short sleeves when it is cold	<u> </u>	O 2	□ 3	O 4	O 5
	L	<ol> <li>Expresses discomfort at dental work or toothbrushing (for example, cries or fights)</li> </ol>	<u> </u>	O 2	□ 3	O 4	O 5
	L	<ol> <li>Is sensitive to certain fabrics (for example, is particular about certain clothes or bedsheets)</li> </ol>	<u> </u>	O 2	□ 3	O 4	
W.	L	34. Becomes irritated by shoes or socks	<u> </u>	O 2	□ 3	O 4	□ 5
Ü	L	35. Avoids going barefoot, especially in sand or grass	O 1	O 2	O 3	O 4	O 5
	L	36. Reacts emotionally or aggressively to touch	<u> </u>	O 2	O 3	O 4	O 5
Ü	L	37. Withdraws from splashing water	O 1	O 2	○ 3	<u> </u>	<u> </u>
Ü	L	38. Has difficulty standing in line or close to other people	<u> </u>	O 2	O 3	O 4	O 5
Ü	L	39. Rubs or scratches out a spot that has been touched	<u> </u>	<u> </u>	○ 3	O 4	<u> </u>
W.	Н	40. Touches people and objects to the point of irritating others	<u> </u>	O 2	□ 3	O 4	□ 5
	Н	<ol> <li>Displays unusual need for touching certain toys, surfaces, or textures (for example, constantly touching objects)</li> </ol>	<u> </u>	O 2	□ 3	O 4	<u> </u>
W.	Н	42. Decreased awareness of pain and temperature	<u> </u>	O 2	□ 3	O 4	□ 5
	Н	<ol> <li>Doesn't seem to notice when someone touches arm or back (for example, unaware)</li> </ol>	<u> </u>	O 2	□ 3	<b>4</b>	<u> </u>
Ü	Н	44. Avoids wearing shoes; loves to be barefoot	<u> </u>	O 2	□ 3	O 4	□ 5
Ü	Н	45. Touches people and objects	<u> </u>	O 2	○ 3	O 4	○ 5
W.	Н	46. Doesn't seem to notice when face or hands are messy	<u> </u>	O 2	□ 3	O 4	○ 5
		Section raw score total:					
Comm	nents:						

		Sensory processing					
		1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldom, 5 =	Never				
		E. Multisensory processing					
0		47. Gets lost easily (even in familiar places)	<u> </u>	O 2	□ 3	O 4	O 5
Ž,		48. Has difficulty paying attention	<u> </u>	○ 2	□ 3	O 4	□ 5
0	L	49. Looks away from tasks to notice all actions in the room	<u> </u>	○ 2	□ 3	O 4	○ 5
9	Н	50. Seems oblivious within an active environment (for example, unaware of activity)	_ 1	O 2	○ 3	<b>4</b>	<u> </u>
头	Н	51. Hangs on people, furniture, or objects even in familiar situations	<u> </u>	○ 2	□ 3	□ 4	□ 5
<b>X</b>	Н	52. Walks on toes	<u> </u>	○ 2	□ 3	O 4	□ 5
Ü	Н	53. Leaves clothing twisted on body	<u> </u>	○ 2	□ 3	O 4	□ 5
		Section raw score total:					
Comm	nents:						
		F. Oral sensory processing					
The second	L	54. Gags easily with food textures or food utensils in mouth	<u> </u>	○ 2	□ 3	□ 4	□ 5
$\Leftrightarrow$	L	55. Avoids certain tastes or food smells that are typically part of children's diets	<u> </u>	○ 2	□ 3	O 4	□ 5
$\Leftrightarrow$	L	56. Will only eat certain tastes (list:	0 1	O 2	□ 3	O 4	□ 5
E. S.	L	57. Limits self to particular food textures/temperatures (list:	) ( 1	O 2	□ 3	O 4	O 5
	L	58. Picky eater, especially regarding food textures	<u> </u>	0 2	○ 3	O 4	<u> </u>
$\Leftrightarrow$	Н	59. Routinely smells nonfood objects		O 2	O 3	O 4	
$\Leftrightarrow$	Н	,	) ( 1	O 2	O 3	O 4	
$\Leftrightarrow$	Н	CO. Ouerres and in facility (list)	) ( 1	<ul><li>□ 2</li><li>□ 2</li></ul>	3	O 4	□ 5 □ 5
$\Leftrightarrow$	H	62. Cooks out cortain tostes or smalls /list:	) 0 1	0 2	<ul><li>3</li><li>3</li></ul>	0 4	<ul><li>5</li><li>5</li></ul>
$\Leftrightarrow$	Н	64. Chews or licks on nonfood objects	) 1	0 2	O 3	0 4	○ 5
	Н	65. Mouths objects (for example, pencil, hands)	① ·	O 2		O 4	
		Section raw score total:					
Comm	nents:						
		Modulation					,
		1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldom, 5 =					
		G. Sensory processing related to endurance/tone					
头		66. Moves stiffly	<u> </u>	O 2	□ 3	O 4	□ 5
*	Н	67. Tires easily, especially when standing or holding particular body position	<u> </u>	O 2	□ 3	O 4	□ 5
头	Н	68. Locks joints (for example, elbows, knees) for stability	<u> </u>	○ 2	□ 3	□ 4	□ 5
头	Н	69. Seems to have weak muscles	<u> </u>	O 2	□ 3	O 4	□ 5
<b></b>	Н	70. Has a weak grasp	<u> </u>	○ 2	□ 3	O 4	□ 5
*	Н	71. Can't lift heavy objects (for example, weak in comparison to same age children)	<u> </u>	O 2	□ 3	O 4	□ 5
关	Н	72. Props to support self (even during activity)	<u> </u>	O 2	○ 3	O 4	O 5
<b>→</b>	Н	73. Poor endurance/tires easily	O 1	_	O 3	O 4	O 5
<b>→</b>	Н	74. Appears lethargic (for example, has no energy, is sluggish)	<u> </u>	O 2	○ 3	<u> </u>	○ 5
		Section raw score total:					
Comm	nents:						

		Modulation					
		1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldom, 5 =	Never				
		H. Modulation related to body position and movement					
$\Diamond$		75. Seems accident-prone	<u> </u>	○ 2	□ 3	<b>4</b>	
<b>(a)</b>		76. Hesitates going up or down curbs or steps (for example, is cautious, stops before moving)	<u> </u>	O 2		<b>4</b>	<u> </u>
<b>→</b>	L	77. Fears falling or heights	<u> </u>	○ 2	□ 3	<b>4</b>	○ 5
<b>→</b>	L	78. Avoids climbing/jumping or avoids bumpy/uneven ground	<u> </u>	○ 2	□ 3	O 4	□ 5
<b>→</b>	L	79. Holds onto walls or banisters (for example, clings)	<u> </u>	○ 2	□ 3	O 4	□ 5
<b>→</b>	Н	80. Takes excessive risks during play (for example, climbs high into a tree, jumps off tall furniture)	<u> </u>	O 2	□ 3	<b>4</b>	□ 5
<b>→</b>	Н	<ol> <li>Takes movement or climbing risks during play that compromise personal safety</li> </ol>	<u> </u>	O 2	□ 3	<b>4</b>	
$\rightarrow$	Н	82. Turns whole body to look at you	<u> </u>	O 2	□ 3	<b>4</b>	□ 5
<b>X</b>	Н	83. Seeks opportunities to fall without regard to personal safety	<u> </u>	O 2	□ 3	O 4	
关	Н	84. Appears to enjoy falling	<u> </u>	O 2	□ 3	O 4	□ 5
		Section raw score total:					
		I. Modulation of movement affecting activity level					
<i>a</i> *v	L	85. Spends most of the day in sedentary play (for example, does quiet things)	O 1	O 2	□ 3	O 4	O 5
₹` *	L	86. Prefers quiet, sedentary play (for example, watching TV, books, computers)	0 1	0 2	3	0 4	<ul><li>□ 5</li></ul>
→ ·	L	87. Seeks sedentary play options	O 1	0 2	○ 3	O 4	O 5
<b>→</b>	L	88. Prefers sedentary activities	① 1	O 2		O 4	
<b>→</b>	н	89. Becomes overly excitable during movement activity	<u> </u>	_ _ 2	_ 3	_ 4	_ _ 5
Z'	Н	90. "On the go"	<u> </u>	O 2	□ 3	O 4	□ 5
\$	Н	91. Avoids quiet play activities	<u> </u>	○ 2	□ 3	O 4	○ 5
		Section raw score total:					
Comn	nents:						
		J. Modulation of sensory input affecting emotional respon	ses				
$\Diamond$		<ol> <li>Needs more protection from life than other children (for example, defenseless physically or emotionally)</li> </ol>	<u> </u>	O 2	□ 3	<b>4</b>	
Ü	L	93. Rigid rituals in personal hygiene	<u> </u>	○ 2	□ 3	O 4	□ 5
$\Diamond$	Н	94. Is overly affectionate with others	<u> </u>	○ 2	□ 3	O 4	O 5
$\Diamond$	Н	95. Doesn't perceive body language or facial expressions (for example, unable to interpret)	<u> </u>	<u> </u>	□ 3	<b>4</b>	<u> </u>
		Section raw score total:					
Comn	nents:						

		Modulation					
		1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldom, 5	= Never				
		K. Modulation of visual input affecting emotional responses and	activity le	vel			
<b>O</b>	L	96. Avoids eye contact		O 2		O 4	O 5
<b>O</b>	Н	97. Stares intensively at objects or people	① 1	0 2	○ 3	0 4	O 5
<b>(</b>	Н	98. Watches everyone when they move around the room	① 1	0 2	○ 3	0 4	O 5
0	Н	99. Doesn't notice when people come into the room	① 1	0 2	○ 3	O 4	O 5
			U I	0 2	$\bigcirc$ 3	0 4	0 3
		Section raw score total:					
Comm	ents:						
		Behavior and emotional responses					
		1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldom, 5	= Never				
		L. Emotional/sensory responses					
$\Diamond$		100. Seems to have difficulty liking self (for example, low self-esteem)	<u> </u>	○ 2	□ 3	O 4	○ 5
$\bigcirc$		101. Has trouble "growing up" (for example, reacts immaturely to situations)	<u> </u>	O 2	□ 3	O 4	□ 5
$\Diamond$		102. Is sensitive to criticisms	<u> </u>	○ 2	□ 3	O 4	○ 5
$\Diamond$		103. Has definite fears (for example, fears are predictable)	<u> </u>	O 2	□ 3	O 4	□ 5
$\Diamond$		104. Seems anxious	<u> </u>	○ 2	□ 3	O 4	○ 5
$\Diamond$		105. Displays excessive emotional outbursts when unsuccessful at a task	<u> </u>	O 2	□ 3	O 4	□ 5
$\Diamond$		106. Expresses feeling like a failure	<u> </u>	○ 2	□ 3	O 4	○ 5
$\Diamond$		107. Is stubborn or uncooperative	<u> </u>	O 2	□ 3	O 4	□ 5
$\bigcirc$		108. Has temper tantrums	<u> </u>	○ 2	□ 3	O 4	○ 5
$\bigcirc$		109. Poor frustration tolerance	<u> </u>	○ 2	□ 3	O 4	
$\bigcirc$		110. Cries easily	<u> </u>	○ 2	□ 3	O 4	
$\bigcirc$		111. Overly serious	<u> </u>	○ 2	□ 3	O 4	
$\Diamond$		112. Has difficulty making friends (for example, does not interact or participate	<u> </u>	○ 2	□ 3	O 4	○ 5
		in group play)	<u> </u>	O 2	□ 3	O 4	O 5
$\bigcirc$		113. Has nightmares		_			_
$\bigcirc$		114. Has fears that interfere with daily routine	<u> </u>	O 2		O 4	<u> </u>
$\bigcirc$		115. Doesn't have a sense of humor	_ 1	O 2	O 3	O 4	O 5
$\Diamond$		116. Doesn't express emotions	<u> </u>	○ 2	□ 3	□ 4	○ 5
		Section raw score total:					
Comm	ents:						
		M. Behavioral outcomes of sensory processing		$\bigcirc$ 0		O 4	O 5
9		117. Talks self through tasks	<u> </u>	O 2	○ 3	U 4	
<b>O</b>		118. Writing is illegible	0 1	O 2	○ 3	O 4	O 5
<b>O</b>		119. Has trouble staying between the lines when coloring or when writing	() 1	O 2	○ 3	0 4	
$\Diamond$		120. Uses inefficient ways of doing things (for example, wastes time, moves slowly, does things a harder way than is needed)	() 1	O 2		O 4	<u> </u>
$\Diamond$	L	121. Has difficulty tolerating changes in plans and expectations	<u> </u>	○ 2	□ 3	O 4	○ 5
$\Diamond$	L	122. Has difficulty tolerating changes in routines	<u> </u>	○ 2	□ 3	O 4	○ 5
		Section raw score total:					
Comm	ents:						

1 = Always, 2 = Frequently, 3 = Occasionally, 4 = Seldom, 5 = Never					Beh	navior ar	nd emotional	responses	<b>.</b>				
123. Jumps from one activity to another so that it interferes with play				1 = Alw	ays, 2 = I	Frequently	y, 3 = Occasiona	illy, 4 = Seldo	m, 5 = Neve	r			
H   124. Deliberately smells objects					N. Beh	navioral ou	utcomes of sens	ory processi	ng				
1   2   3   4	·		123. Jumps	from one ad	ctivity to a	nother so	that it interferes	with play	0	1 🔾 2	3	O 4	
Section raw score total:	>	Н	124. Delibei	ately smells	s objects				0	1 🔾 2	3	<b>4</b>	
For office use only	>	Н	125. Does n	ot seem to	smell stro	ng odors			0	1 🔾 2	3	O 4	
For office use only    Icon key					Se	ection raw	score total:						
Icon key     Threshold key     Score key       ② Auditory     Neither low nor high     1 Always       ③ Visual     L     Low     2 Frequently       ♣ Activity level     H     High     3 Occasionally       ♣ Taste/smell     4 Seldom       ♣ Body position     5 Never	mm	ents:											
Icon key     Threshold key     Score key       ⑤ Auditory     Neither low nor high     1 Always       ⑥ Visual     L     Low     2 Frequently       ✔ Activity level     H     High     3 Occasionally       ☆ Taste/smell     4 Seldom       Ռ Body position     5 Never													
Visual L Low 2 Frequently   Activity level H High 3 Occasionally   Grant of the properties													
Activity level H High 3 Occasionally  Taste/smell 4 Seldom  Body position 5 Never		lcon ke	······································					nly			Score ke	 	
<ul><li>→ Taste/smell</li><li>★ Body position</li><li>4 Seldom</li><li>★ Never</li></ul>	<b>®</b>					Thr	eshold key						
<ul><li>→ Taste/smell</li><li>★ Body position</li><li>4 Seldom</li><li>★ Never</li></ul>	0	Au	ditory		L	Thr	eshold key Jeither low nor hig				Alv	ways	
Body position 5 Never   Movement Touch   Column 1/social Emotional/social	0	Au V	ditory sual			Thr	eshold key leither low nor hiç Low		2		Al <sub>1</sub> Fred	ways quently	
→ Movement  Touch  Emotional/social	<b>◎</b> ૐ	Au V Activ	ditory sual ity level			Thr	eshold key leither low nor hiç Low		3		Al <sup>i</sup> Fred Occa	ways quently sionally	
Touch  Emotional/social	<b>◎</b> * ↔	Au V Activ Tast Body	ditory sual ity level e/smell			Thr	eshold key leither low nor hiç Low		3		Al <sup>i</sup> Fred Occa Se	ways quently sionally Idom	
C Emotional/social	<b>◎</b> * ↔	Au V Activ Tast Body	ditory sual ity level e/smell position			Thr	eshold key leither low nor hiç Low		3		Al <sup>i</sup> Fred Occa Se	ways quently sionally Idom	
	<b>◎</b> * ↔	Au V Activ Tast Body	ditory sual ity level e/smell position ement			Thr	eshold key leither low nor hiç Low		3		Al <sup>i</sup> Fred Occa Se	ways quently sionally Idom	

Reference

Dunn, W. (1999). The Sensory Profile. Psychological Corporation.