NICHQ Vanderbilt Assessment Scale: Parent Informant

Parent's Name:	Parent's Phone Number:									
Child's Name:	Date of Birth:	:	Today'	Today's Date:						
Directions: Each rating should be considered in the context of what is ap think about your child's behaviors in the <u>past 6 months.</u>		ge of your chi	ld. When complet	ting this for	m, please					
Is this evaluation based on a time when the child was on m	edication \Box) was not on	medication	☐ not s	ure?					
		Navan	Occasionally	Otton	Varie Office					
Symptoms		Never	Occasionally	Often	Very Often					
 Does not pay attention to details or makes careless mistakes with, f homework 	or example,	<u> </u>	○ 2	∪ 3	<u> </u>					
2. Has difficulty keeping attention to what needs to be done		O 1	□ 2		O 4					
Does not seem to listen when spoken to directly		<u> </u>	O 2		O 4					
 Does not follow through when given directions and fails to finish act refusal or failure to understand) 	ivities (not due to	<u> </u>	O 2	□ 3	O 4					
5. Has difficulty organizing tasks and activities		□ 1	○ 2	□ 3	O 4					
6. Avoids, dislikes, or does not want to start tasks that require ongoing	mental effort	<u> </u>	○ 2	□ 3	4					
7. Loses things necessary for tasks or activities (toys, assignments, pe	encils, or books)	<u> </u>	○ 2	□ 3						
8. Is easily distracted by noises or other stimuli		□ 1	○ 2	□ 3	O 4					
9. Is forgetful in daily activities		□ 1	○ 2	□ 3	O 4					
10. Fidgets with hands or feet or squirms in seat		<u> </u>	○ 2	□ 3	4					
11. Leaves seat when remaining seated is expected		<u> </u>	○ 2	□ 3	O 4					
12. Runs about or climbs too much when remaining seated is expected		<u> </u>	○ 2	□ 3	O 4					
13. Has difficulty playing or beginning quiet play activities		O 1	□ 2	□ 3	O 4					
14. Is "on the go" or often acts as if "driven by a motor"		O 1	□ 2	□ 3	O 4					
15. Talks too much		O 1	□ 2	□ 3	O 4					
16. Blurts out answers before questions have been completed		O 1	□ 2	□ 3	O 4					
17. Has difficulty waiting his or her turn		O 1	□ 2	□ 3	O 4					
18. Interrupts or intrudes in on others' conversations and/or activities		O 1	□ 2	□ 3	O 4					
19. Argues with adults		O 1	O 2	□ 3	O 4					
20. Loses temper		O 1	○ 2	□ 3	O 4					
21. Actively defies or refuses to go along with adults' requests or rules		O 1	□ 2	□ 3	O 4					
22. Deliberately annoys people		<u> </u>	□ 2	□ 3	O 4					
23. Blames others for his or her mistakes or misbehaviors		O 1	□ 2	□ 3	O 4					
24. Is touchy or easily annoyed by others		O 1	○ 2	□ 3	O 4					
25. Is angry or resentful		O 1	O 2	□ 3	O 4					
26. Is spiteful and wants to get even		O 1	○ 2	□ 3	O 4					
27. Bullies, threatens, or intimidates others		O 1	O 2	□ 3	O 4					
28. Starts physical fights		<u> </u>	○ 2	□ 3	O 4					
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)		O 1	O 2	□ 3	O 4					
30. Is truant from school (skips school) without permission		<u> </u>	○ 2	□ 3	O 4					
31. Is physically cruel to people		O 1	O 2	□ 3	O 4					
32. Has stolen things that have value		<u> </u>	O 2	□ 3	O 4					
33. Deliberately destroys others' property		<u> </u>	O 2	□ 3	O 4					
34. Has used a weapon that can cause serious harm (bat, knife, brick, g	jun)	<u> </u>	O 2	□ 3	O 4					
35. Is physically cruel to animals		O 1	O 2	O 3	O 4					
36. Has deliberately set fires to cause damage		O 1	O 2	O 3	O 4					
37. Has broken into someone else's home, business, or car		O 1	O 2	O 3	O 4					
38. Has stayed out at night without permission		1	○ 2	□ 3	O 4					

*Publish Date: 2022; Source: NICHQ, American Academy of Pediatrics, McNeil https://Carepatron.com



Parent's Name:			Parent's Phone Number:								
Child's Name:			Date of Bir	th:		Today's Date:					
Symptoms				Ne	ver Occ	casionally	Often	Very Often			
39. Has run away from home overnight				0	1	O 2	□ 3	O 4			
40. Has forced someone into sexual activity				0	1	O 2	□ 3	4			
41. Is fearful, anxious, or worried				0	1	O 2		<u> </u>			
42. Is afraid to try new things for fear of making mi	stakes			0	1	□ 2	□ 3	4			
43. Feels worthless or inferior				0	1	O 2	□ 3	4			
44. Blames self for problems, feels guilty				0	1	○ 2	□ 3	<u> </u>			
45. Feels lonely, unwanted, or unloved; complains	that "no one lov	es him	or her"	0	1	○ 2	□ 3	<u> </u>			
46. Is sad, unhappy, or depressed				0	1	○ 2	□ 3	O 4			
47. Is self-conscious or easily embarrassed				0	1	○ 2	□ 3	4			
Performance Excellent Abo			ve Average	Average	Some	what of a P	roblem	Problematic			
48. Overall school performance	O 1		O 2	□ 3		O 4		<u> </u>			
49. Reading	□ 1		O 2	□ 3		4		<u> </u>			
50. Writing	<u> </u>		O 2			4		<u> </u>			
51. Mathematics	O 1		○ 2	□ 3				<u> </u>			
52. Relationship with parents	□ 1		○ 2	□ 3				□ 5			
53. Relationship with siblings	□ 1		○ 2	□ 3		□ 4		□ 5			
54. Relationship with peers	<u> </u>		○ 2	□ 3				□ 5			
 Participation in organized activities (eg, teams) 	<u> </u>		O 2	□ 3		4		<u> </u>			
Please return this form to:			Fax Numb	oer:							
Mailing Address:											
For Office Use Only											
Total number of questions scored 2 or 3 in questi	ons 1-9:										
Total number of questions scored 2 or 3 in questions 10-18:											
Total Symptom Score for questions 1-18:											
Total number of questions scored 2 or 3 in questi	ons 19-26:										
Total number of questions scored 2 or 3 in questions 27-40:											
Total number of questions scored 2 or 3 in questions 41–47:											
Total number of questions scored 4 or 5 in questi	ons 48–55:										
Average Performance Score:											



NICHQ Vanderbilt Assessment Follow-up: Parent Informant

Parent's Name:			Parent's Phone Number:							
Child's Name:		Date of Birth: Today's Date:								
Directions: Each rating should be considered in the considered the last assessment scale was filled o			•	e age	of your c	child. Plea	se think a	about your c	hild's	
Is this evaluation based on a time when the child	on med	dication	○ v	as not o	on medica	ation	tion			
_										
Symptoms					Never	Occas	sionally	Often	Very Often	
Does not pay attention to details or makes carel homework	less mistakes	with, fo	r example,		<u> </u>) 2	□ 3	O 4	
2. Has difficulty keeping attention to what needs to	be done				<u> </u>		2	□ 3	O 4	
3. Does not seem to listen when spoken to directly	,				O 1		2	□ 3	O 4	
 Does not follow through when given directions a to refusal or failure to understand) 	and fails to fini	ish activ	vities (not due	•	O 1) 2		O 4	
5. Has difficulty organizing tasks and activities					□ 1		2	□ 3		
6. Avoids, dislikes, or does not want to start tasks	that require o	ngoing	mental effort		O 1		2	□ 3	O 4	
Loses things necessary for tasks or activities (to books)	oys, assignme	nts, pei	ncils, or		<u> </u>		2	○ 3	4	
8. Is easily distracted by noises or other stimuli					<u> </u>		2	□ 3	O 4	
9. Is forgetful in daily activities					□ 1		2	□ 3		
10. Fidgets with hands or feet or squirms in seat					<u> </u>		2	□ 3	O 4	
11. Leaves seat when remaining seated is expected	d				□ 1		2	□ 3		
12. Runs about or climbs too much when remaining	seated is exp	ected			<u> </u>		2	□ 3	O 4	
13. Has difficulty playing or beginning quiet play act	ivities				□ 1		2	□ 3		
14. Is "on the go" or often acts as if "driven by a mo	tor"				<u> </u>		2	□ 3	O 4	
15. Talks too much			□ 1		2	□ 3				
16. Blurts out answers before questions have been	completed				O 1		2	□ 3	O 4	
17. Has difficulty waiting his or her turn					□ 1		2	□ 3		
18. Interrupts or intrudes in on others' conversations	s and/or activi	ities			<u> </u>		2	□ 3	O 4	
Performance	Excellent	Abov	ve Average	Ave	rage	Somewh	at of a P	roblem	Problematic	
19. Overall school performance	O 1		O 2	C	3		4		<u> </u>	
20. Reading	O 1		O 2	\subset	3		4		O 5	
21. Writing	O 1		O 2	C	3		O 4		O 5	
22. Mathematics	1		O 2	\subset	3		4		O 5	
23. Relationship with parents	<u> </u>		O 2	C	3		4		<u> </u>	
24. Relationship with siblings	<u> </u>		O 2	\subset	3		4		O 5	
25. Relationship with peers	<u> </u>		O 2	\subset	3		4		<u> </u>	
26. Participation in organized activities (eg, teams)	<u> </u>		○ 2	С	3		4		<u> </u>	
Side Effects: Has the child experienced any of the following side effects or problems in the past week?				Are these			effects c	urrently a p	problem?	
following side effects of problems in	tile past wee	K:			None	M	ild	Moderate	Severe	
Headache						(\supset		0	
Stomachache						(\supset		0	
Change of appetite—explain below						(\supset		0	
Trouble sleeping						(\supset		0	

*Publish Date: 2022; Source: NICHQ, American Academy of Pediatrics, McNeil https://Carepatron.com



Parent's Name:		Parent's Phone Number:							
Child's Name:	Date of Birth:		Toda			ay's Date:			
Side Effects (Continued): Has the child experienced any the following side effects or problems in the past week?			Are these side effects currently a problem?						
			None	М	ild	Moderate	Severe		
Irritability in the late morning, late afternoon, or evening—explain belo	w		0	(\supset	0	0		
Socially withdrawn—decreased interaction with others				(\supset	0			
Extreme sadness or unusual crying			0	(\supset	0	0		
Dull, tired, listless behavior				(\supset	0			
Tremors/feeling shaky			0	(\supset	0	0		
Repetitive movements, tics, jerking, twitching, eye blinking—explain b	elc	ow		(\supset	0			
Picking at skin or fingers, nail biting, lip or cheek chewing—explain be	elov	W		(\supset	0	0		
Sees or hears things that aren't there				(\supset	0			
Please return this form to:		Fax Number:							
Mailing Address:									
For Office Use Only Total Symptom Score for questions 1-18: Average Performance Score:									

Scoring Instructions for the NICHQ Vanderbilt Assessment Scales

These scales should NOT be used alone to make any diagnosis. You must take into consideration information from multiple sources. Scores of 2 or 3 on a single Symptom question reflect often-occurring behaviors. Scores of 4 or 5 on Performance questions reflect problems in performance.

The initial assessment scale has 2 components: symptom assessment and impairment in performance. On this version of the initial assessment (the parents' version), the symptom assessment screens for symptoms that meet the criteria for both inattentive (items 1–9) and hyperactive ADHD (items 10–18).

To meet DSM-IV criteria for the diagnosis, one must have at least 6 positive responses to either the inattentive 9 or hyperactive 9 core symptoms, or both. A positive response is a 2 or 3 (often, very often) (you could draw a line straight down the page and count the positive answers in each subsegment). There is a place to record the number of positives in each subsegment, and a place for total score for the first 18 symptoms (just add them up).

The initial scales also have symptom screens for 3 other comorbidities—oppositional-defiant, conduct, and anxiety/ depression. These are screened by the number of positive responses in each of the segments separated by the "squares." The specific item sets and numbers of positives required for each co-morbid symptom screen set are detailed below.

The second section of the scale has a set of performance measures, scored 1 to 5, with 4 and 5 being somewhat of a problem/problematic. To meet the criteria for ADHD there must be at least one item of the Performance set in which the child scores a 4 or 5; ie, there must be impairment, not just symptoms to meet diagnostic criteria. The sheet has a place to record the number of positives (4s, 5s) and an Average Performance Score—add them up and divide by number of Performance criteria answered.

Predominantly Inattentive subtype

- · Must score a 2 or 3 on 6 out of 9 items on questions 1-9 AND
- Score a 4 or 5 on any of the Performance questions 48-55

Predominantly Hyperactive/Impulsive subtype

- Must score a 2 or 3 on 6 out of 9 items on questions 10–18 AND
- Score a 4 or 5 on any of the Performance questions 48-55

ADHD Combined Inattention/Hyperactivity

Requires the above criteria on both inattention and hyperactivity/ impulsivity

Oppositional-Defiant Disorder Screen

- Must score a 2 or 3 on 4 out of 8 behaviors on questions 19–26 AND
- Score a 4 or 5 on any of the Performance questions 48-55

Conduct Disorder Screen

- Must score a 2 or 3 on 3 out of 14 behaviors on questions 27-40 AND
- Score a 4 or 5 on any of the Performance questions 48–55

• Score a 4 or 5 on any of the Performance questions 48-55

Anxiety/Depression Screen

- Must score a 2 or 3 on 3 out of 7 behaviors on questions 41–47 AND
- The parent follow-up scale has the first 18 core ADHD symptoms, not the co-morbid symptoms. The section segment has the same Performance items and impairment assessment as the initial scales, and then has a side-effect reporting scale that can be used to both assess and monitor the presence of adverse reactions to medications prescribed, if any. Scoring the follow-up scales involves only calculating a total symptom score for items 1–18 that can be tracked over time, and the average of the Performance items answered as measures of improvement over time with treatment.

Parent Assessment Follow-up Scoring:

- Calculate Total Symptom Score for questions 1–18
- · Calculate Average Performance Score for questions 19-26